




Schroff

19"-LAB RACKS

Content

Cabinets 1

Wall mounted cases 2

Accessories for cabinets and wall mounted cases . 3

Climate control . 4

Electronics cases 5

Subracks/ 19" chassis 6

Front panels, plug-in units ... 7

Systems 8

Power supply units 9

Backplanes ... 10


Connectors, front panel component system 11

Appendix 12

Cabinets – 19" lab racks




01305003



lra45330 vnt007

Cable ducting on the front and rear side



01505050

Large selection of equipment shelves

Application/function

19" lab racks are freely accessible from all sides. Subracks, 19" cases and 19" shelves can be mounted. Two angled steel uprights are screw-fixed on the base part (mobile base/plinth and base plate respectively). The 19" cut-outs of the steel uprights are recessed so far that a flat surface for front panels is created. At the top, the two profiles are connected by a cover plate which gives the rack additional stability.

The base/plinth of the mobile 19" lab rack has two fixed rear castors and two locking castors at the front. The 100 mm roller diameter ensures both good mobility and high stability.

A base plate from sheet steel forms the plinth for the stationary 19" lab rack.

Standards/certifications

- Internal and external dimensions in accordance with: IEC 60297-3-100

Cabinets – 19" lab racks

Overview 1.354

19" lab rack

- Mobile or stationary
- Various shelves
- Accessories for cable ducting



01305001

Mobile

- 36 U
- Load-carrying capacity up to max. 200 kg



01305002

Stationary

- 24 and 39 U
- Load-carrying capacity up to max. 150 kg

19" lab racks

19" lab rack, mobile	1.356
19" lab rack, stationary	1.357
Panel mounts	1.358
Cable support rail	1.358
C-profiles	1.359
Cable eyes for C-profile	1.359
19" equipment shelves	1.361
Slide rails	1.361



30407004

ServicePLUS from page 1.361

e.g. modification (special colours)
e.g. custom solutions (special sizes)

www.schroff.biz/ServicePLUS

ServicePLUS... 1.361

Cabinets – 19" lab racks

19" lab rack, mobile



01305001


- Stationary load-carrying capacity 200 kg at a defined centre of gravity in the centre of the lab rack
- Recommended max. chassis depth 400 mm

Delivery comprises (assembled)

Item	Qty	Description
1	1	19" frame, St, 2 mm, RAL 7035, with EIA cut-outs
2	1	Mobile base/plinth, Al, die-cast, RAL 7035
3	2	Castor, plastic (PA), with rubber insert
4	2	Locking castor, plastic (PA), with rubber insert

Order Information

Description	Part no.
19" lab rack, mobile, useable height 36 U	10117-498
19" assembly kit (50 x screws, 50 x washers, 50 x nuts)	21101-809
19" assembly kit (100 x screws, 100 x washers, 100 x nuts)	21101-810



ServicePLUS see page 1.361

Cabinets – 19" lab racks

19" lab rack, stationary



- Modular design with base/plinth and cover plate, please order uprights according to desired height separately
- Stationary load-carrying capacity 150 kg, at a defined centre of gravity in the centre of the lab rack
- Recommended max. chassis depth 400 mm

Delivery comprises (kit)

Item.	Qty	Description
1	1	Base/plinth, St, 2 mm, RAL 7035
2	1	Trim at top, St, 1.5 mm, RAL 7035
4	1	Assembly kit

Order Information


Description	Item	Part no.
Base and trim	1 + 2 + 4	20118-743
Uprights (item 3) with EIA perforation, 24 U, RAL 7035, PU 2 pieces		20118-741
Uprights (item 3) with EIA perforation, 39 U, RAL 7035, PU 2 pieces		20118-742
Adjustable feet load-carrying capacity 100 kg per foot, PU 4 pieces		21190-571
Castors load-carrying capacity 150 kg per kit, castor diameter 52 mm, PU 4 pieces (2 locking, 2 non-locking)		20118-462
19" assembly kit (50 x screws, 50 x washers, 50 x nuts)		21101-809
19" assembly kit (100 x screws, 100 x washers, 100 x nuts)		21101-810

Technical data

Usable height	h	H
U	mm	mm
24	1067	1164
39	1733	1831

Note


- Please order uprights separately



ServicePLUS see page 1.361

Cabinets – 19" lab racks

Panel mounts for stationary 19" lab rack



- Required for fitting of cable retention rails or slide rails on stationary 19" lab rack

Delivery comprises

Item	Qty	Description
1	2	Panel mount without assembly kit, St, 1.5 mm, RAL 7035

Order Information


Description	Height U	Part no.
Panel mount	24	20118-744
Panel mount	39	20118-745
Assembly kit PU 1 kit		21101-175

Note

- Please order assembly kit separately

VNT011

Cable support rail



- For cable ducting and cable strain relief
- Designed for mobile 19" lab rack;
with panel mounts also for stationary 19" lab rack

Delivery comprises (Kit)

Item	Qty	Description
1	3	C-profile, St, 1.5 mm, zinc-plated
2	2	Corner piece, St, 2 mm, zinc-plated
3	1	Assembly kit

Order Information

Description	Part no.
Cable support rail	20118-460


Note

- Panel mounts are necessary for assembly on stationary 19" lab racks, please order them separately

LRA45330

Cabinets – 19" lab racks

C-profile for stationary 19" lab rack



VNT007

- For assembly to the vertical uprights on the right and left hand side of the 19" plane; especially suited for cable eyes

Delivery comprises

Item	Qty	Description
1	2	C-profile, St, 1.5 mm, zinc-plated


Order Information

Height	Length	Part no.
U	mm	
24	1050	20118-461
39	1650	22114-461
Assembly kit PU 1 kit		21101-175

Note

- Please order assembly kit separately
- Not suitable on mobile 19" lab racks

Cable eyes for C-profile



00507050 00507051 00507052

Delivery comprises

Item	Qty	Description
1	4	Cable eye, round steel, 6 mm, zinc-plated, with integrated anti-rotation protection

Order Information

Description	W	D	Part no.
	mm	mm	
Cable eye for C-profile	120	45	20118-339
Cable eye for C-profile	40	75	20118-554
Cable eye for C-profile	95	95	20118-340
Assembly kit for 4 cable eyes, PU 1 kit			21101-596

Note

- Please order assembly kit separately

Cabinets – 19" lab racks

19" equipment shelf, 1 U



00508012

- Static load-carrying capacity 5 kg
- Mounting height 1 U

Delivery comprises

Item	Qty	Description
1	1	Equipment shelf, St, 1.5 mm

Order Information

Width mm	Depth mm	AlZn Part no.	RAL 7035 Part no.
447	390	20118-781	20118-783
19" assembly kit (screw, washer, nut) for one equipment shelf			21190-095

19" equipment shelf, 2 U



00508002

- Static load-carrying capacity 10 kg
- Mounting height 2 U


Delivery comprises

Item	Qty	Description
1	1	Equipment shelf, St, 1.5 mm

Order Information

Width mm	Depth mm	RAL 7035 Part no.
447	238	20118-785
19" assembly kit (screw, washer, nut) for one equipment shelf		21190-095

19" equipment shelf, depth-adjustable, 2 U



00508009

- Static load-carrying capacity 15 kg
- Mounting height 2 U
- Depth-adjustable in 25 mm increments
(front protrusion min. 26 mm)

Delivery comprises (kit)


Item	Qty	Description
1	1	Equipment shelf, St, 1.5 mm
2	2	Mounting bracket with assembly kit, St, 1.5 mm

Order Information

Width mm	Depth mm	RAL 7035 Part no.
430	250	
430	300	20118-790
430	400	20118-791
19" assembly kit (screw, washer, nut) for one equipment shelf		21190-095

Cabinets – 19" lab racks

19" equipment shelf with front protrusion, 2 U



SZA46423

- Static load-carrying capacity 25 kg
- Mounting height 2 U
- Forward protrusion min. 168 mm


Delivery comprises (kit)

Item	Qty	Description
1	1	Equipment shelf, St, 1.5 mm, RAL 7035
2	2	Mounting bracket, strengthened, St, 2/2.5 mm, RAL 7035
3	1	Assembly kit incl. GND/earthing kit

Order Information

Width mm	Depth mm	Part no.
430	400	20119-257

Slide rail, 40 kg



DTA44090

- For assembly on mobile 19" lab racks; with panel mounts also on stationary 19" lab racks
- Static load-carrying capacity 40 kg per pair

Delivery comprises

Item	Qty	Description
1	2 / 10	Slide rail, St, 2 mm, zinc-plated

Order Information

Description	Qty/PU	Part no.
Slide rail, 40 kg	2	20119-080
Slide rail, 40 kg	10	20119-106

Note

- Panel mounts are necessary for assembly on stationary 19" labrack, please order separately, see page 1.358



modification

Custom drillings, cut-outs and special colours for off-the-shelf products

Small changes. Large impact.

- Special colours



solution

Integration and custom developments

Simple. Fast. From one source.

- Complete construction, cabling, function testing
- Special sizes, custom solutions



lifecycle

Flexible support throughout the product lifecycle

We are with you. For the entire product life.

- Free delivery to point of use

Appendix – Order notes

Packaging units

A packaging unit (PU) - e.g. carton, bag - contains the stated quantity. If you order the quantity 1, you will automatically receive the quantity defined as PU.

Example: EMC textile gasket
See page 5.22
Part number 21101-853

Quantity (per part number): 10 pieces

Order quantity: Delivery quantity:

1	10 pieces
2	20 pieces
3	30 pieces

Price list

Our price list is available by e-mail from your customer consultant.
Please find all contact details at www.schroff.biz/contact.

Always up-to-date

Please visit our website www.schroff.biz where we continuously inform about news and technical changes.

Quick links

Catalogue request: www.schroff.biz/catalogues

Product configurators: www.schroff.biz/conf

Contact details: www.schroff.biz/contact

Product search: www.schroff.biz/oneclick

Front Panel Express: www.frontpanelexpress.eu

VARISTAR: www.varistar.co.uk

Railway technology: www.schroff.co.uk/railway

IT Infrastructure: www.schroff.co.uk/datacom

Standard pack quantity (SPQ)

Please take into consideration that deliveries may be carried out in the stated SPQs (SPQ, e.g. 5 pieces, 10 pieces, 50 pieces, etc.). Differing order quantities (e.g. 2 pieces) may be changed to the next possible delivery quantity = Standard Pack Quantity (in this case 10 pieces).

Example: Front horizontal rail
See page 5.31
Part number 34560-228

Quantity (per part number): 1 piece
Standard pack quantity (SPQ): 10 pieces

Order quantity: Delivery quantity:

≤ 10	10 pieces
> 10 ≤ 20	20 pieces
> 20 ≤ 30	30 pieces

Delivery times

Part numbers in bold face type are ready for despatch within 2 working days; part numbers in normal type are ready for despatch within 10 working days.

Business relations

Schroff is exclusively operating in Business to Business (B2B). Private individuals can buy Schroff products via our sales representatives (see www.schroff.biz/contact).

Responsible for contents and print

Schroff GmbH, Marketing Communication,
D-75334 Straubenhardt, Germany

The data in this catalogue have been thoroughly edited and checked - in assistance with an accredited Quality Management System in accordance with EN ISO 9001:2008.

Faults and spelling mistakes, but mainly changes due to improvements and further developments of our products are subject to change. There is no possibility to claim indemnity/compensation.

Cabinets	Overview..... 1.0 Varistar Cabinet platform..... 1.2 Varistar Electronics 1.10 Varistar EMC..... 1.54 Varistar Seismic..... 1.84 Varistar MIL 1.120 Varistar Data/network systems 1.124 Varistar Containment 1.202	LHX 20/40 Air/water heat exchangers.... 1.224 LHX 3 Air/water heat exchangers 1.236 Novastar..... 1.240 Eurorack 1.270 Outdoor 1.316 Etsirack..... 1.346 19" lab racks..... 1.354 PROLINE..... 1.362	1
Wall mounted case	Overview..... 2.0 Epcase..... 2.36 LAN wall-mounted distributors..... 2.46		2
Cabinet and wall-mounted case accessories	Overview..... 3.0 Mechanics..... 3.2 Telescopic slides..... 3.24 Electrical..... 3.29	Monitors, keyboards, monitoring 3.44 Socket strips 3.50 Power control socket strips 3.72	3
Climate control	Overview..... 4.0 Cooling concepts/service 4.2 19" fan trays..... 4.4 Air filtered fans 4.20	Accessories..... 4.58	4
Desktop enclosures	Overview..... 5.0 RatiopacPRO..... 5.6 PropacPRO..... 5.44 CompacPRO..... 5.76	Comptec..... 5.100 Accessories..... 5.108 Interscale..... 5.200 Minipac 5.230	5
Subracks/ 19" chassis	Overview..... 6.0 EuropacPRO..... 6.2 EuropacPRO for railroad applications..... 6.70	EuropacPRO industrial applications. 6.86 EuropacPRO Rugged..... 6.92 MultipacPRO 6.112 Inpac 6.128	6
Front panels, Plug-in-units, Frame type plug-in-units	Overview..... 7.0 Front panels..... 7.2 Plug-in units 7.16 Frame type plug-in units..... 7.64	PCB accessories..... 7.102	7
Systems	Overview..... 8.0 AdvancedTCA..... 8.2 AdvancedMC carriers..... 8.26 MicroTCA..... 8.36	AdvancedMC modules..... 8.56 CompactPCI, Serial, PlusIO, PSB 8.68 VME, VME64x, VXS, VPX..... 8.88 Accessories..... 8.106	8
Power supply systems	Overview..... 9.0 19" AC/DC switched-mode PSUs 9.2 19" AC/DC linear regulators 9.12 19" AC/DC convertors..... 9.15	19" accessories 9.18 PSUs for MicroTCA 9.20 PSUs for VMEbus 9.22 PSUs for CompactPCI, VME64x 9.24	9
Backplanes	Overview..... 10.0 CompactPCI, Serial, PlusIO 10.4 PXI 10.11 VXS 10.14	VME64x, VMEbus 10.15 Power 10.18 Universal..... 10.19 Test adaptors 10.20	10
Connectors, Front panel component systems	Overview..... 11.0 Connectors 11.2 Front panel component system 11.12		11
Appendix	Standards abbreviations..... 12.0 Notes on ordering..... 12.10 Order number index 12.11 Product index..... 12.62		12