

QLINE D, TYPE 4X



QLine D polycarbonate and ABS enclosures have contoured bodies with flush cover screws for an attractive, contemporary appearance. Tough as well as stylish, they are functional in corrosive environments and can withstand occasional submersion. The ABS series shares the same features and similar physical properties as the polycarbonate but is a more economical, non-UL rated alternative.

FEATURES & BENEFITS

Body is impact-resistant polycarbonate for PCD series and ABS for ABD series

Opaque and clear covers are impact-resistant polycarbonate for PCD series and ABS for ABD series

Polycarbonate material is easily punched, drilled, filed or sawed

Straight side walls permit ganging of multiple enclosures

Cross-point captivated cover screws are stainless steel

Mounting holes molded directly adjacent to cover screws

Cover screws protected by removable caps that are aesthetic and provide tamper resistance

Molded internal pads for mounting optional panels, rails and other components

Panel mounting feature on both body and cover

Seamless foam-in-place gasket assures water-tight and dust-tight seal

Screws provided for mounting optional panel

Material is halogen free

SPECIFICATIONS

Protection Rating NEMA Type 12; NEMA Type 13; NEMA Type 4; NEMA Type 4X; IP66

Material Polycarbonate

Cover Style Opaque

Color Light Gray

Color Code RAL 7035

	Table 1/2					
Catalog Number	Height	Width	Depth	Panel Size	Panel	External Dimensions
Q16129PCD	6.02 in	4.45 in	3.29 in	5.12 x 3.94 in	Q1612PD	6.30 x 4.72 in
Q889PCD	3.15 in	3.23 in	3.39 in	2.68 x 2.17 in	Q88PD	3.23 x 3.15 in
Q1286PCD	4.47 in	2.89 in	1.93 in	3.58 x 2.56 in	Q128PD	4.72 x 3.15 in
Q1289PCD	4.45 in	2.87 in	3.11 in	3.58 x 2.56 in	Q128PD	4.72 x 3.15 in
Q12126PCD	4.72 in	4.8 in	2.2 in	4.13 x 3.66 in	Q1212PD	4.80 x 4.72 in
Q12129PCD	4.72 in	4.8 in	3.39 in	4.13 x 3.66 in	Q1212PD	4.80 x 4.72 in
Q1686PCD	6.04 in	2.89 in	1.93 in	5.16 x 2.56 in	Q168PD	6.30 x 3.15 in
Q1689PCD	4.45 in	2.87 in	3.11 in	5.16 x 2.56 in	Q168PD	6.30 x 3.15 in
Q20129PCD	7.6 in	4.45 in	3.11 in	6.69 x 3.94 in	Q2012PD	7.87 x 4.72 in
Q20158PCD	5.91 in	7.87 in	2.99 in	6.69 x 5.04 in	Q2015PD	7.87 x 5.91 in
Q241612PCD	6.3 in	9.45 in	4.76 in	8.31 x 5.83 in	Q2416PD	9.45 x 6.30 in
Q24169PCD	9.17 in	6.02 in	3.29 in	8.31 x 5.83 in	Q2416PD	9.45 x 6.30 in
Q302311PCD	9.06 in	11.81 in	4.37 in	10.43 x 8.27 in	Q3023PD	11.81 x 9.06 in
Q30239PCD	11.54 in	8.78 in	3.11 in	10.43 x 8.27 in	Q3023PD	11.81 x 9.05 in
Q554PCD	2.09 in	2.17 in	1.42 in			2.17 x 2.09 in
Q886PCD	2.97 in	2.89 in	1.93 in	2.68 x 2.17 in	Q88PD	3.23 x 3.15 in

Table 2/2					
Catalog Number	Mounting	Thickness			
Q16129PCD	5.83 x 3.54 in	0.12 in			
Q889PCD	2.76 x 1.97 in	0.12 in			
Q1286PCD	4.25 x 1.97 in	0.12 in			
Q1289PCD	4.25 x 1.97 in	0.12 in			
Q12126PCD	4.33 x 3.54 in	0.12 in			
Q12129PCD	4.33 x 3.54 in	0.12 in			
Q1686PCD	5.83 x 1.97 in	0.12 in			

Catalog Number	Mounting	Thickness
Q1689PCD	5.83 x 1.97 in	0.16 in
Q20129PCD	7.40 x 3.54 in	0.16 in
Q20158PCD	7.40 x 4.72 in	0.16 in
Q241612PCD	8.98 x 5.12 in	0.16 in
Q24169PCD	8.98 x 5.12 in	0.08 in
Q302311PCD	11.34 x 7.87 in	0.12 in
Q30239PCD	11.34 x 7.87 in	0.12 in
Q554PCD	1.69 x 1.61 in	0.12 in
Q886PCD	2.76 x 1.97 in	0.12 in

Protection Rating NEMA Type 12; NEMA Type 13; NEMA Type 4; NEMA Type 4X; IP66

Material Polycarbonate

Cover Style Opaque

Color Light Gray

Color Code RAL 7035

	Table 1/2					
Catalog Number	Height	Width	Depth	Panel Size	Panel	External Dimensions
Q16129PCD	6.02 in	4.45 in	3.29 in	5.12 x 3.94 in	Q1612PD	6.30 x 4.72 in
Q889PCD	3.15 in	3.23 in	3.39 in	2.68 x 2.17 in	Q88PD	3.23 x 3.15 in
Q1286PCD	4.47 in	2.89 in	1.93 in	3.58 x 2.56 in	Q128PD	4.72 x 3.15 in
Q1289PCD	4.45 in	2.87 in	3.11 in	3.58 x 2.56 in	Q128PD	4.72 x 3.15 in
Q12126PCD	4.72 in	4.8 in	2.2 in	4.13 x 3.66 in	Q1212PD	4.80 x 4.72 in
Q12129PCD	4.72 in	4.8 in	3.39 in	4.13 x 3.66 in	Q1212PD	4.80 x 4.72 in
Q1686PCD	6.04 in	2.89 in	1.93 in	5.16 x 2.56 in	Q168PD	6.30 x 3.15 in
Q1689PCD	4.45 in	2.87 in	3.11 in	5.16 x 2.56 in	Q168PD	6.30 x 3.15 in
Q20129PCD	7.6 in	4.45 in	3.11 in	6.69 x 3.94 in	Q2012PD	7.87 x 4.72 in
Q20158PCD	5.91 in	7.87 in	2.99 in	6.69 x 5.04 in	Q2015PD	7.87 x 5.91 in
Q241612PCD	6.3 in	9.45 in	4.76 in	8.31 x 5.83 in	Q2416PD	9.45 x 6.30 in
Q24169PCD	9.17 in	6.02 in	3.29 in	8.31 x 5.83 in	Q2416PD	9.45 x 6.30 in
Q302311PCD	9.06 in	11.81 in	4.37 in	10.43 x 8.27 in	Q3023PD	11.81 x 9.06 in

Catalog Number	Height	Width	Depth	Panel Size	Panel	External Dimensions
Q30239PCD	11.54 in	8.78 in	3.11 in	10.43 x 8.27 in	Q3023PD	11.81 x 9.05 in
Q554PCD	2.09 in	2.17 in	1.42 in			2.17 x 2.09 in
Q886PCD	2.97 in	2.89 in	1.93 in	2.68 x 2.17 in	Q88PD	3.23 x 3.15 in

	Table 2/2					
Catalog Number	Mounting	Thickness				
Q16129PCD	5.83 x 3.54 in	0.12 in				
Q889PCD	2.76 x 1.97 in	0.12 in				
Q1286PCD	4.25 x 1.97 in	0.12 in				
Q1289PCD	4.25 x 1.97 in	0.12 in				
Q12126PCD	4.33 x 3.54 in	0.12 in				
Q12129PCD	4.33 x 3.54 in	0.12 in				
Q1686PCD	5.83 x 1.97 in	0.12 in				
Q1689PCD	5.83 x 1.97 in	0.16 in				
Q20129PCD	7.40 x 3.54 in	0.16 in				
Q20158PCD	7.40 x 4.72 in	0.16 in				
Q241612PCD	8.98 x 5.12 in	0.16 in				
Q24169PCD	8.98 x 5.12 in	0.08 in				
Q302311PCD	11.34 x 7.87 in	0.12 in				
Q30239PCD	11.34 x 7.87 in	0.12 in				
Q554PCD	1.69 x 1.61 in	0.12 in				
Q886PCD	2.76 x 1.97 in	0.12 in				

Protection Rating NEMA Type 12; NEMA Type 13; NEMA Type 4; NEMA Type 4X; IP66

Material Polycarbonate

Cover Style Opaque

Color Light Gray

Color Code RAL 7035

Table 1/2						
Catalog Number	Height	Width	Depth	Panel Size	Panel	External Dimensions
Q16129PCD	6.02 in	4.45 in	3.29 in	5.12 x 3.94 in	Q1612PD	6.30 x 4.72 in

Catalog Number	Height	Width	Depth	Panel Size	Panel	External Dimensions
Q889PCD	3.15 in	3.23 in	3.39 in	2.68 x 2.17 in	Q88PD	3.23 x 3.15 in
Q1286PCD	4.47 in	2.89 in	1.93 in	3.58 x 2.56 in	Q128PD	4.72 x 3.15 in
Q1289PCD	4.45 in	2.87 in	3.11 in	3.58 x 2.56 in	Q128PD	4.72 x 3.15 in
Q12126PCD	4.72 in	4.8 in	2.2 in	4.13 x 3.66 in	Q1212PD	4.80 x 4.72 in
Q12129PCD	4.72 in	4.8 in	3.39 in	4.13 x 3.66 in	Q1212PD	4.80 x 4.72 in
Q1686PCD	6.04 in	2.89 in	1.93 in	5.16 x 2.56 in	Q168PD	6.30 x 3.15 in
Q1689PCD	4.45 in	2.87 in	3.11 in	5.16 x 2.56 in	Q168PD	6.30 x 3.15 in
Q20129PCD	7.6 in	4.45 in	3.11 in	6.69 x 3.94 in	Q2012PD	7.87 x 4.72 in
Q20158PCD	5.91 in	7.87 in	2.99 in	6.69 x 5.04 in	Q2015PD	7.87 x 5.91 in
Q241612PCD	6.3 in	9.45 in	4.76 in	8.31 x 5.83 in	Q2416PD	9.45 x 6.30 in
Q24169PCD	9.17 in	6.02 in	3.29 in	8.31 x 5.83 in	Q2416PD	9.45 x 6.30 in
Q302311PCD	9.06 in	11.81 in	4.37 in	10.43 x 8.27 in	Q3023PD	11.81 x 9.06 in
Q30239PCD	11.54 in	8.78 in	3.11 in	10.43 x 8.27	Q3023PD	11.81 x 9.05 in
Q554PCD	2.09 in	2.17 in	1.42 in			2.17 x 2.09 in
Q886PCD	2.97 in	2.89 in	1.93 in	2.68 x 2.17 in	Q88PD	3.23 x 3.15 in

Table 2/2					
Catalog Number	Mounting	Thickness			
Q16129PCD	5.83 x 3.54 in	0.12 in			
Q889PCD	2.76 x 1.97 in	0.12 in			
Q1286PCD	4.25 x 1.97 in	0.12 in			
Q1289PCD	4.25 x 1.97 in	0.12 in			
Q12126PCD	4.33 x 3.54 in	0.12 in			
Q12129PCD	4.33 x 3.54 in	0.12 in			
Q1686PCD	5.83 x 1.97 in	0.12 in			
Q1689PCD	5.83 x 1.97 in	0.16 in			
Q20129PCD	7.40 x 3.54 in	0.16 in			
Q20158PCD	7.40 x 4.72 in	0.16 in			
Q241612PCD	8.98 x 5.12 in	0.16 in			
Q24169PCD	8.98 x 5.12 in	0.08 in			
Q302311PCD	11.34 x 7.87 in	0.12 in			
Q30239PCD	11.34 x 7.87 in	0.12 in			
Q554PCD	1.69 x 1.61 in	0.12 in			

Catalog Number	Mounting	Thickness
Q886PCD	2.76 x 1.97 in	0.12 in

Protection Rating NEMA Type 12; NEMA Type 13; NEMA Type 4; NEMA Type 4X; IP66

Material Polycarbonate

Cover Style Opaque

Color Light Gray

Color Code RAL 7035

			Table	1/2		
Catalog Number	Height	Width	Depth	Panel Size	Panel	External Dimensions
Q16129PCD	6.02 in	4.45 in	3.29 in	5.12 x 3.94 in	Q1612PD	6.30 x 4.72 in
Q889PCD	3.15 in	3.23 in	3.39 in	2.68 x 2.17 in	Q88PD	3.23 x 3.15 in
Q1286PCD	4.47 in	2.89 in	1.93 in	3.58 x 2.56 in	Q128PD	4.72 x 3.15 in
Q1289PCD	4.45 in	2.87 in	3.11 in	3.58 x 2.56 in	Q128PD	4.72 x 3.15 in
Q12126PCD	4.72 in	4.8 in	2.2 in	4.13 x 3.66 in	Q1212PD	4.80 x 4.72 in
Q12129PCD	4.72 in	4.8 in	3.39 in	4.13 x 3.66 in	Q1212PD	4.80 x 4.72 in
Q1686PCD	6.04 in	2.89 in	1.93 in	5.16 x 2.56 in	Q168PD	6.30 x 3.15 in
Q1689PCD	4.45 in	2.87 in	3.11 in	5.16 x 2.56 in	Q168PD	6.30 x 3.15 in
Q20129PCD	7.6 in	4.45 in	3.11 in	6.69 x 3.94 in	Q2012PD	7.87 x 4.72 in
Q20158PCD	5.91 in	7.87 in	2.99 in	6.69 x 5.04 in	Q2015PD	7.87 x 5.91 in
Q241612PCD	6.3 in	9.45 in	4.76 in	8.31 x 5.83 in	Q2416PD	9.45 x 6.30 in
Q24169PCD	9.17 in	6.02 in	3.29 in	8.31 x 5.83 in	Q2416PD	9.45 x 6.30 in
Q302311PCD	9.06 in	11.81 in	4.37 in	10.43 x 8.27 in	Q3023PD	11.81 x 9.06 in
Q30239PCD	11.54 in	8.78 in	3.11 in	10.43 x 8.27	Q3023PD	11.81 x 9.05 in
Q554PCD	2.09 in	2.17 in	1.42 in			2.17 x 2.09 in
Q886PCD	2.97 in	2.89 in	1.93 in	2.68 x 2.17 in	Q88PD	3.23 x 3.15 in

Table 2/2					
Catalog Number	Mounting	Thickness			
Q16129PCD	5.83 x 3.54 in	0.12 in			
Q889PCD	2.76 x 1.97 in	0.12 in			

Catalog Number	Mounting	Thickness
Q1286PCD	4.25 x 1.97 in	0.12 in
Q1289PCD	4.25 x 1.97 in	0.12 in
Q12126PCD	4.33 x 3.54 in	0.12 in
Q12129PCD	4.33 x 3.54 in	0.12 in
Q1686PCD	5.83 x 1.97 in	0.12 in
Q1689PCD	5.83 x 1.97 in	0.16 in
Q20129PCD	7.40 x 3.54 in	0.16 in
Q20158PCD	7.40 x 4.72 in	0.16 in
Q241612PCD	8.98 x 5.12 in	0.16 in
Q24169PCD	8.98 x 5.12 in	0.08 in
Q302311PCD	11.34 x 7.87 in	0.12 in
Q30239PCD	11.34 x 7.87 in	0.12 in
Q554PCD	1.69 x 1.61 in	0.12 in
Q886PCD	2.76 x 1.97 in	0.12 in

Purchase panels separately

2100 Hoffman Way Anoka, MN 55303 | USA 763.421.2240

