MXM-E8860-V0



768 GFLOPS GPGPU PROCESSING AND SIX VIDEO OUTPUTS

Key Features

- AMD Radeon™ E8860 GPU
- ■768 GFLOPs Single Precision
- ■Up to six digital video outputs
- ■GPU accelerated H.264 encode
- Advanced power management (tunable as low as 15W)

Additional Features

- ■PCle up to x16 Gen3
- ■2GB GDDR5 video memory
- DirectX 11, OpenGL 4
- ■Advanced GPGPU parallel processing capabilities: OpenCL[™] 1.2, DirectCompute 11
- ■Long-life support

Overview

The MXM-E8860-VO is capable of driving up to six displays, comprised of combinations of up to six DisplayPort 1.2 digital displays, or up to two legacy displays (including HDMI, Dual-Link DVI, or one SVGA). This card also has excellent GPGPU capabilities with 768 GFLOPS of single-precision parallel processing capability.

This card uses a standard MXM-3.0/3.1 connection. Utilizing WOLF's expertise, the MXM3-E8860-VO is designed and manufactured to MIL-STD-810 requirements. It is available with an extended operating temperature range of -40°C to +85°C.

Specifications

- High level of ruggedization
 - ☐ MIL-STD-810, IPC 6012 Class-3
 - ☐ -40° to +85°C operating temperature
 - ☐ 40g, 11ms shock
 - ☐ 0.2g²/Hz@ 5 2000Hz vibration
 - □ Conduction-cooled
 - □ Rugged air-cooled
- ■Windows and Linux drivers
- VxWorks, Integrity, LynxOS, and other RTOS drivers available
- ■MXM-3.1 Type A form factor: 82×70 mm

