E104-MPE PCI/104-Express Quad PCIe MiniCard Carrier




PCIe104



FEATURES

4 PCIe MiniCard sockets
PCIe x1 and USB interfaces
Supports full and half size PCIe
MiniCards
SIM cards supported in 2 sockets
PCI-104 pass through
PCI/104-Express form factor with
wings
4.5" x 3.775"
Extremely rugged -40°C to +85°C
operating temperature
MIL-STD-202G shock and vibration
compatible

E104-MPE-04 top view



E104-MPE-02 top view


The PCIe MiniCard carrier provides four PCIe MiniCard sockets on a PCI/104-Express form factor board. All four sockets have PCIe $x\ 1$ and USB interfaces and support full size and half size PCIe MiniCard modules.

The module provides full support to all sockets while consuming only a single lane of host SBC resources. SIM card support is provided for two sockets.

All power is derived from the PCIe/104 connector 5V power tab. The PCI-104 connector provides a pass through connection and is not used by the module.

Extended temperature capability (-40°C to +85°C) enables the board to operate in environments with extreme temperature swings, such as vehicles or outdoor installations. For further enhanced ruggedness, zero ohm resistors can replace jumpers.

Block Diagram



Specifications

Number of PCIe MiniCard sockets 4

Card SizeFull and half size cards supported **SIM support**2 sockets support SIM cards

InterfacesPCIe x1 and USBHost interfacePCI-104 pass through

LEDs LEDs provided for all 4 sockets

Form FactorDimensions PCI/104-Express form factor with wings:

4.5" x 3.775" (114mm x 96mm)

Power supply +5VDC $\pm 5\%$

Operating temperature -40°C to +85°C (-40°F to +185°F)

Operating humidity5% to 95% non-condensingShockMIL-STD-202G compatibleVibrationMIL-STD202G compatible

MTBF tbd hours at 20°C

Weight 2.5oz (71g)
RoHS Compliant

Models and Accessories

E104-MPE

available models:

E104-MPE-04 PCI/104-Express Quad PCIe MiniCard Carrier Available

E104-MPE-02 PCI/104-Express Dual PCIe MiniCard Carrier Min Order Quantity

Please login or signup for an online quote request.

www.diamondsystems.com | Sunnyvale, California USA | +1-650-810-2500 | sales@diamondsystems.com