

# BOXER-8652AI PRELIMINARY

AI@Edge Compact Fanless Embedded BOX PC with NVIDIA® Jetson Orin™ NX

Front View



Rear View



## Features

- NVIDIA® Jetson Orin™ NX
- 8GB LPDDR5x
- Support M.2 Key E x 1, M.2 Key B x 1, M.2 Key M x 1
- Support DB-9 x 1 for CANbus
- Support GbE LAN x 2




## Specifications

System	
AI Accelerator	NVIDIA® Jetson Orin™ NX
CPU	8-core Arm® Cortex®-A78AE v8.2 64-bit CPU
System Memory	8GB 256-Bit LPDDR5x 102.4GB/s
Storage Device	M.2 M Key x 1
Display Interface	HDMI Type A for HDMI 2.0 x 1
Ethernet	RJ-45 x 2 for 10/100/1000 Base-T
I/O	RJ-45 x 2 for 10/100/1000 Base-T USB Type A x 3 for USB 3.2 Gen 1 USB Type A x 1 for USB 2.0 HDMI type A for HDMI v2.0 x 1 DB-9 x 1 for CANbus DB-9 x 1 for RS-232/422/485 DB-15 x 1 for 13 DIO 2-pin terminal block for 12-24V power input Power ON/OFF switch x 1 Antenna hole x 4
Expansion	M.2 E-Key 2230 x 1 for WiFi/Bluetooth M.2 B-Key 3042/3052 x1 for 4G/5G M.2 M-Key 2280 x1
Indicator	Power LED x 1
OS Support	Linux (NVIDIA Jetpack 5.0 and above)
Power Supply	
Power Requirement	DC-in 12-24V with 2-pin terminal block
Mechanical	
Mounting	Wall mount kit
Dimensions (W x D x H)	TBD
Gross Weight	TBD
Net Weight	TBD
Environmental	
Operating Temperature	-4°F ~ 131°F (-20°C ~ 55°C with 0.5 m/s airflow)
Storage Temperature	-40°F ~ 158°F (-40°C ~ 70°C)
Storage Humidity	5 ~ 95% @ 40°C, non-condensing
Anti-Vibration	1Grm / 5~500Hz
Anti-Shock	20G peak acceleration
Certification	CE / FCC class A

## Dimension

Unit: mm



## Optional Accessories

- TBD

## Packing List

- TBD

## Ordering Information

- TBD